




SECURITY & RECOVERY

Sent Crypto on the Wrong Network? Recovery Options Explained

By Matt Barnez

Written

Aug 9, 2026

You wanted to send USDT through Ethereum, but selected TRON. Or you copied an Ethereum deposit address and accidentally selected BNB Smart Chain.

The transaction went through, and now the crypto is not where you expected it to be.

The first question is usually:

Is the crypto permanently lost?

Not necessarily.

Wrong-network transfers are sometimes recoverable, particularly when the receiving address belongs to a self-custody wallet whose private keys you control. Recovery becomes much more uncertain when the destination belongs to a centralized exchange or another custodial service because only that provider controls the receiving wallet.

The most important factors are:

- Which network was actually used?
- Who controls the destination address?
- Is the destination a self-custody wallet or a custodial exchange?
- Are the two networks technically compatible?

This guide focuses specifically on recovering crypto that was already sent using the wrong blockchain network.

If your network was correct and you simply cannot find your deposit, see [Crypto Deposit Not Showing? Why Your Exchange Deposit Is Missing and How to Fix It](#) instead.

Quick Answer: Can Crypto Sent on the Wrong Network Be Recovered?

Sometimes.

Your recovery options usually look like this:

Situation	Recovery Outlook
ERC-20 sent as BEP-20 to your own EVM wallet	Often recoverable
BEP-20 sent to your own Ethereum-style wallet	Often recoverable
Token exists on another EVM network you control	Often recoverable
TRC-20 sent to a TRON wallet you control	Usually accessible if the transaction reached your address
Wrong network sent to a centralized exchange	Depends entirely on the exchange
Exchange offers an asset-recovery service	May be recoverable
Exchange does not support recovery	May remain inaccessible
Destination is a smart-contract wallet on another chain	Recovery can be complicated or impossible
You do not control the destination address	Recovery becomes significantly less likely

Binance's June 2026 guidance makes the same central distinction: wrong-network transfers to a wallet whose private key you control may often be recoverable, while transfers to custodial wallets or exchanges depend on the provider and are not guaranteed.

Understanding Wrong-Network Crypto Transfers

What Does “Sent on the Wrong Network” Actually Mean?

A cryptocurrency such as USDT may be supported on several different blockchains.

For example, an exchange might let you withdraw USDT using:

- Ethereum

- TRON
- BNB Smart Chain
- Arbitrum
- Polygon
- Other supported networks

The token name may still say USDT, but these are different blockchain environments.

Suppose the receiving exchange tells you to deposit:

USDT — Ethereum (ERC-20)

but the sending platform uses:

USDT — BNB Smart Chain (BEP-20)

The blockchain does not automatically redirect the transaction to Ethereum.

The transfer occurs on BNB Smart Chain because that is the network you selected.

This is the core of a wrong-network transfer.

ERC20 vs BEP20 vs TRC20: What Is the Difference?

Understanding these terms makes recovery much easier.

ERC-20

ERC-20 is a token standard used for fungible tokens implemented through smart contracts on Ethereum.

Ethereum's official documentation describes ERC-20 as a standard interface that allows fungible tokens to work consistently across Ethereum applications.

Examples of assets can include Ethereum versions of tokens such as USDT, USDC, and many other tokens.

An Ethereum address normally begins with:

0x...

BEP-20

BEP-20 tokens operate on BNB Smart Chain, or BSC.

BNB Smart Chain is compatible with the Ethereum Virtual Machine, which is why its accounts, tools, and smart-contract environment are closely related to Ethereum's.

BSC addresses also normally appear as:

0x...

This similarity is one reason ERC-20/BEP-20 mistakes are common.

An Ethereum address and a BSC address can look the same even though the assets live on completely different blockchains.

TRC-20

TRC-20 is a smart-contract token standard used on the TRON blockchain.

TRON's official documentation describes it as a technical standard for token smart contracts on TRON and notes its compatibility at the contract-interface level with ERC-20.

TRON's user-facing Base58Check addresses normally begin with:

T...

rather than Ethereum's familiar 0x... format.

This distinction matters when considering recovery.

One Important Misconception About ERC20, TRC20 and BEP20

Users sometimes think these labels are merely different transaction-speed options.

They are not.

They represent different blockchain routes.

When an exchange offers:

- USDT ERC-20
- USDT TRC-20
- USDT BEP-20

you are choosing where the transaction will exist on-chain.

Selecting the cheapest network without checking what the recipient supports can leave your funds on a blockchain that the receiving platform does not monitor for your account.

Before Attempting Wrong-Network Recovery

Confirm Which Network You Actually Used

Do not start importing wallets, adding networks, or contacting recovery services until you know exactly where the transaction went.

Open the transaction record on the sending wallet or exchange and find:

TxID / Transaction Hash

Then open the appropriate blockchain explorer.

For example:

- Ethereum transfer → Ethereum explorer
- BNB Smart Chain transfer → BSC explorer
- TRON transfer → TRON explorer

Confirm:

- The transaction succeeded
- Which blockchain contains the transaction
- The receiving address
- Which token was transferred
- The amount

The purpose here is not to troubleshoot an ordinary missing transaction.

It is simply to prove:

“I intended to use Network A, but the transaction actually occurred on Network B.”

Once that is confirmed, choose the correct recovery path below.

Who Controls the Receiving Wallet?

This determines almost everything.

There are two main possibilities.

Self-Custody Wallet

You control the wallet's keys.

Examples include wallets where you personally control the recovery phrase or private keys.

Custodial Wallet or Exchange

The platform controls the private keys.

You have an account with that company.

For example:

Your own wallet → potentially you can recover it yourself

Centralized exchange deposit address → only the exchange can access its wallet infrastructure

Binance's current wrong-network recovery guidance specifically identifies this distinction as the key factor in determining available recovery options.

Wrong-Network Recovery Scenarios

Scenario 1: ERC20 Sent as BEP20 to Your Own Wallet

This is one of the more recoverable wrong-network scenarios.

Imagine:

You intended to receive USDT on Ethereum.

Your receiving address is:

0x123...

But at the sending exchange, you accidentally selected:

BNB Smart Chain (BEP-20)

The transaction succeeds.

You open your Ethereum wallet and see no USDT.

What happened?

The token did not arrive on Ethereum.

It arrived at the corresponding address on BNB Smart Chain.

Because Ethereum and BNB Smart Chain are EVM-compatible and use the same standard address format for ordinary accounts, a self-custody wallet can commonly access the same account across both networks.

MetaMask's current guidance says that when tokens are mistakenly sent between EVM-compatible networks, the recipient can generally switch to the network where the tokens were actually sent and access them there.

Recovery Path

Open the wallet that controls the receiving address.

Switch to:

BNB Smart Chain

Then check the address on BscScan.

If the token balance exists on-chain but is not displayed inside the wallet, you may need to add the correct token contract to the wallet interface.

BNB Chain's own troubleshooting documentation recommends checking BscScan, selecting the network where the token actually exists, and, where necessary, adding the token manually.

The crucial point is:

The tokens may not need to be “recovered” from the blockchain at all. You may need to access the blockchain where they already exist.

Scenario 2: BEP20 Sent When You Intended ERC20

The reverse situation follows essentially the same principle.

Suppose you intended:

USDT on Ethereum

but withdrew:

USDT using BNB Smart Chain

to your own EVM-compatible self-custody address.

If you control the destination account, check that same address on BNB Smart Chain.

The tokens may already be there.

Binance's June 2026 recovery guide specifically notes that when the receiving wallet supports both Ethereum and BSC, wrong-network ERC-20/BEP-20 transfers can often be found by selecting the network on which the transaction actually occurred.

What to Do After Finding Tokens on the Wrong EVM Network

Finding the tokens is only half of the recovery process.

You still need to decide where you actually want them.

There are usually three possible approaches.

Option 1: Leave Them on That Network

If you can use the token on the network where it arrived, you may not need to move it immediately.

Nothing requires an asset to be transferred again simply because the original network was unintended.

Option 2: Send Them Through a Compatible Exchange

Suppose your USDT ended up on BNB Smart Chain.

An exchange may support:

USDT deposit via BNB Smart Chain

and:

USDT withdrawal via Ethereum

In that case, you could potentially deposit the asset using the network it currently exists on and later withdraw through Ethereum.

But verify both deposit and withdrawal network support at the time of the transaction.

Do not assume that an exchange supports every network merely because it lists the token.

Option 3: Use a Supported Blockchain Bridge

A blockchain bridge may allow supported assets to move between compatible networks.

For example:

BNB Smart Chain → Ethereum

However, using a bridge is not the same thing as recovering lost funds.

A bridge becomes relevant after you already have control of the tokens on the network where they landed.

MetaMask's current wrong-network guidance similarly says that tokens accessible on the wrong EVM-compatible network can then potentially be bridged to the intended network.

Use extreme caution when selecting bridge services.

Smart-contract and phishing risks exist, and not every token has a legitimate cross-chain route.

You May Need the Native Network Token to Move the Recovered Funds

Here is another issue that surprises users.

Suppose you recover USDT on Ethereum.

Holding USDT alone does not necessarily give you what you need to pay the Ethereum transaction fee.

Ethereum network gas is paid in ETH.

Similarly, moving assets on BNB Smart Chain normally requires the network's gas mechanism, generally involving BNB.

Binance's own wrong-network recovery guidance specifically warns users recovering BSC assets to have enough BNB available for the required transaction fee.

TRON works differently.

Transactions consume Bandwidth and, for smart-contract operations such as TRC-20 transfers, Energy.

When the account lacks sufficient resources, TRX can be burned to cover the required resource cost.

So you can sometimes see the recovered token but still be unable to move it until the wallet has the appropriate network resources.

Scenario 3: The Wallet Does Not Show the Network

Suppose the funds were sent to your own wallet, but the wallet application you normally use only shows one network.

That does not automatically mean the assets are gone.

A wallet interface and a blockchain account are not the same thing.

If you control the underlying private key or recovery phrase, it may be possible to access the same account using trustworthy wallet software that supports the blockchain where the assets actually arrived.

Binance currently describes this as a potential solution for ERC-20/BEP-20 mistakes when the user controls the private key, but their existing wallet does not support both networks.

Important Security Warning

Do not enter your recovery phrase or private key into:

- A recovery website
- A Telegram bot
- A support form
- A random browser extension
- A person claiming to be exchange support
- A website reached through an unsolicited message

Only use legitimate wallet software obtained from its official source.

Your seed phrase controls the entire wallet—not merely the mistaken transaction.

Special Case: Smart-Contract Wallets

The common ERC-20/BEP-20 recovery method works most cleanly with ordinary self-custody accounts controlled directly by a private key.

Smart-contract wallets can behave differently.

A smart-contract wallet address deployed on Ethereum is not automatically guaranteed to have the same deployed wallet contract and control logic on another EVM chain.

Therefore:

“The address looks identical” does not always mean “I can control that address on every chain.”

If the destination is a multisig, account-abstraction wallet, vault, contract address, or another specialized wallet, verify the wallet provider's own cross-chain recovery documentation before moving anything.

Do not treat it like a standard MetaMask-style account without confirming how the address is controlled.

Scenario 4: TRC20 Sent Instead of ERC20

TRC-20 mistakes need to be treated differently from ordinary Ethereum/BSC mistakes.

TRC-20 tokens exist on the TRON network, not Ethereum.

TRON uses its own user-facing address encoding. Its Base58Check addresses usually begin with T.

TRON's documentation explains that TRON and Ethereum use related cryptographic key generation, but their normal address representations are different.

Therefore, do not assume that because ERC-20 and BEP-20 recovery often involves switching an EVM network, the same process applies to TRC-20.

If the TRC20 Destination Is Your Own Wallet

Suppose you deliberately provided a TRON address that you control but accidentally selected TRC-20 when you eventually wanted the funds on Ethereum.

In that case, the funds are not necessarily lost.

Check the transaction on the TRON blockchain and open the receiving account using a wallet that supports TRON.

If the funds are there, you control them.

You can then determine how to move them to the intended network—for example, by using an exchange that explicitly supports deposits on the current network and withdrawals on the desired network, or another legitimate cross-chain route where supported.

The important point is:

Do not try to “turn” a TRC-20 transaction into an ERC-20 transaction after it has already happened.

The original transaction remains on TRON.

You need to move the asset again through a supported route.

Should You Convert an Ethereum Address Into a TRON Address?

This is not a recovery technique we recommend ordinary users attempt manually.

TRON's developer documentation explains the technical relationship between TRON's hexadecimal address representation and Ethereum-style address derivation, but manually converting addresses is very different from proving that you control the destination account.

For a normal user:

Ownership of the corresponding private key matters—not whether two addresses can be mathematically transformed into similar representations.

If the destination belongs to a centralized exchange, converting the address yourself gives you no access to the exchange's private key.

Do not use online “address conversion” or “recovery” websites that request your wallet secrets.

Scenario 5: You Sent the Wrong Network to a Centralized Exchange

This is where recovery becomes much less predictable.

For example, your exchange told you:

Deposit USDT using ERC-20.

You sent:

USDT using BEP-20.

The destination address may even look valid.

The transaction succeeds on BNB Smart Chain.

But nothing appears in your exchange account.

Can you recover it yourself?

Usually, no.

The exchange controls the private keys associated with its deposit infrastructure.

You cannot simply take its deposit address and import it into MetaMask.

Only the exchange can determine whether it has the technical ability and operational policy to access the funds.

What Should You Do?

Collect:

- TxID
- Cryptocurrency
- Network actually used
- Network that should have been used
- Destination address
- Amount
- Date and time

Then use the official recovery tool or support channel of the receiving exchange.

Do not contact the sender first unless the sending transaction itself failed.

Once a wrong-network transaction has successfully reached a destination address controlled by another provider, the receiving custodian is the party that may—or may not—be able to retrieve it.

Exchange Recovery Is Not Guaranteed

Different exchanges have different policies.

Some exchanges offer recovery tools for selected assets and networks.

Others perform manual recovery only in certain circumstances.

Some charge a fee.

Some cannot recover the transaction at all.

Policies can also change as an exchange adds support for new blockchains.

This means:

There is no universal “exchange wrong-network recovery procedure.”

Always check the receiving exchange's current official documentation.

Example: Coinbase Asset Recovery

Coinbase currently operates an Asset Recovery Service for certain eligible unsupported assets and networks.

The service requires users to provide transaction details and sends eligible recovered assets to a self-custody wallet.

Coinbase makes clear that only selected assets and networks are eligible.

As of July 2026, Coinbase says recoveries above \$100 incur a 5% fee on the amount over \$100, in addition to applicable network fees.

That does not mean every Coinbase wrong-network transaction is recoverable.

Eligibility is determined by Coinbase's recovery system.

Previously Unsupported Networks Can Sometimes Become Supported Later

An interesting situation can occur when an exchange later adds the blockchain that was unsupported when the transfer happened.

Coinbase, for example, states that it has automatically credited certain historical transactions after adding support for networks that were previously unsupported, including specified assets on Polygon and Optimism.

But this should not be treated as a recovery strategy.

There is no guarantee that an exchange will:

- Add the network later
- Detect old deposits
- Credit historical transfers
- Provide recovery

It simply shows why an inaccessible deposit is not always technically identical to permanently destroyed funds.

Example: [Crypto.com](#) Deposit Recovery

[Crypto.com](#) also currently provides a Crypto Deposit Recovery review process.

Its documentation instructs users to submit the transaction hash and, when needed, additional information such as the network, token, receiving address, and amount.

It first attempts to locate eligible transactions through an automated review process.

Again, availability of a recovery process does not mean every mistaken transfer can be retrieved.

Example: Binance Wrong-Network Recovery

Binance's current Academy guidance, updated June 12, 2026, warns that sending a wrong-network deposit into Binance itself may not be recoverable and states that Binance cannot recover certain incorrect-network deposits.

It also notes that Binance cannot intervene when the receiving wallet belongs to another custodial provider.

This illustrates why users should never assume:

“The exchange owns the address, so support can definitely get my money back.”

Technical access, wallet architecture, and platform policy all matter.

Scenario 6: Wrong Network From an Exchange to Your Own Wallet

This situation is usually better than sending the wrong network into an exchange.

Why?

Because the destination belongs to you.

Suppose:

Sender: Centralized exchange

Recipient: Your self-custody wallet

Mistake: BEP-20 selected instead of ERC-20

The sending exchange cannot reverse the confirmed transaction, but you may not need it to.

If you control the receiving account and the funds exist on the wrong EVM-compatible blockchain, you can potentially access them directly there.

So once the transaction has been broadcast successfully, focus on the destination wallet, not on asking the sending exchange to cancel the withdrawal.

Scenario 7: Wrong Network From Your Wallet to an Exchange

This is the opposite situation.

Sender: Your self-custody wallet

Recipient: Exchange deposit address

Mistake: Wrong network

You controlled the transaction before sending it.

But after it was confirmed, the tokens moved to the destination address.

Now the receiving exchange controls the relevant wallet infrastructure.

Therefore, your private key no longer helps.

Your only realistic recovery path is the exchange's official recovery process.

How Recovery Differs by Network and Destination

ERC20 ? BEP20 Recovery vs TRC20 Recovery

Here is the most important difference.

Mistake	Why Recovery May Differ
ERC-20 → BEP-20 self-custody	Both are EVM environments and standard wallet addresses commonly correspond across both.h
BEP-20 → ERC-20 self-custody	Same general EVM recovery principle
TRC-20 → TRON wallet you control	Access requires the TRON account/network
TRC-20 → exchange expecting ERC-20	Exchange decides whether recovery is technically and policy-wise possible
ERC-20 → custodial address expecting another network	Custodian decides
Any network → address you do not control	Recovery may be impossible without cooperation from the address controller

This is why there is no single recovery button for all wrong-network transfers.

Can You Reverse the Original Transaction?

No normal recovery process rewrites the original blockchain transaction.

Once a successful transaction is recorded, recovery generally means one of two things.

You regain access to the funds where they actually landed.

This is common in self-custody EVM recovery.

Or:

The custodian accesses the funds and sends them somewhere usable.

This is what an exchange recovery service may do.

The original transfer still occurred.

Recovery involves making the assets accessible again.

Should You Send More Crypto to the Same Address?

Not as a first reaction.

A second transaction does not repair the network selection of the first transaction.

Sending another deposit may simply create another transfer—and another potential mistake.

First identify:

Where the existing tokens are

and:

Who controls that address

Only then decide whether another transaction is necessary.

Should You Use a Blockchain Bridge Immediately?

Usually not.

A bridge is useful only after you have established that:

- You control the tokens on the network where they landed.
- The bridge legitimately supports both networks.
- The exact asset is supported.
- You understand the transaction and smart-contract risks.

A bridge cannot give you control over funds sitting at an exchange-controlled address.

So:

Access first. Bridge second.

Wrong Network vs Other Crypto Transfer Problems

Wrong Network vs Wrong Address

These problems are not the same.

Wrong network

The destination may still be an address you control, but the asset exists on another blockchain.

This can sometimes be recoverable.

Wrong address

The asset was sent to a blockchain address you do not control.

That is a different and often more serious problem.

This article focuses on the wrong-network situation.

Do not assume that recovery advice for an ERC-20/BEP-20 network mismatch will recover a transaction that actually went to another person's address.

Wrong Network vs Missing Memo or Destination Tag

These are also different problems.

A wrong network means:

The transfer occurred on the wrong blockchain.

A missing memo/tag means:

The transfer may have reached the correct blockchain address, but the exchange cannot automatically associate it with the correct customer.

If your problem is a missing identifier rather than the blockchain network itself, use:

Forgot the Memo or Destination Tag? How to Recover XRP, XLM, ATOM and Other Crypto Deposits

That recovery process should not be mixed with wrong-network recovery.

Wrong Network vs “Transaction Successful but Not Received”

Do not assume a missing balance means you used the wrong network.

If:

- The network is correct
- The asset is supported

- The address is correct

but the receiving exchange has still not credited the transaction, the problem belongs to a different troubleshooting category.

See:

[Crypto Transaction Successful but Not Received? What to Check Before Contacting Support](#)

This article applies only after you have identified an actual network mismatch.

Wrong-Network Recovery Decision Tree

Use this process.

Step 1: Did You Actually Use the Wrong Network?

No / Not sure:

Go back to the general missing-deposit troubleshooting guide.

Yes:

Continue.



Step 2: Was the Transaction Successfully Recorded on That Network?

No:

Do not attempt recovery yet.

Yes:

Continue.



Step 3: Do You Control the Destination Wallet's Private Key or Recovery Phrase?

Yes:

Continue to Step 4.

No:

Go to Step 6.



Step 4: Is the Mistaken Network EVM-Compatible?

Examples include Ethereum and BNB Smart Chain.

Yes:

Check the same wallet address on the network actually used. The assets may already be accessible there.

No:

Use a wallet specifically compatible with the network where the transaction occurred and verify that you control the destination account.



Step 5: Can You See and Control the Tokens?

Yes:

You can decide whether to leave them there, return them through an exchange supporting that network, or use an appropriate cross-chain route.

No:

Verify the token contract and wallet compatibility before taking further action.



Step 6: Does a Centralized Exchange or Custodian Control the Destination?

Yes:

Use its official recovery tool or contact support.



Step 7: Does the Provider Support Recovery for That Asset and Network?

Yes:

Follow its official procedure and review any fees.

No:

The funds may remain inaccessible unless the provider changes its support or recovery policy in the future.

What to Send Exchange Support

For a wrong-network recovery request, prepare:

Asset:

For example, USDT

Amount:

Exact amount sent

Network used:

For example, BNB Smart Chain

Network intended:

For example, Ethereum

TxID:

Full transaction hash

Receiving address:

The exchange deposit address

Date and time

A good support message could say:

I deposited USDT to my account using BNB Smart Chain, but the deposit address was intended for USDT on Ethereum. The BSC transaction is confirmed. Can you confirm whether this deposit is eligible for wrong-network recovery?

That is much clearer than:

My USDT disappeared.

Wrong-Network Recovery Security Risks

Never Give Anyone Your Seed Phrase for Recovery

Wrong-network transfers attract scammers because users are often anxious and willing to try unfamiliar recovery services.

Nobody needs your seed phrase merely to inspect a blockchain transaction.

Never give it to:

- Exchange support
- Telegram admins
- Discord users
- “Blockchain recovery specialists”
- Websites promising guaranteed recovery
- Someone contacting you through social media

MetaMask specifically warns users that it will not privately contact them about recovery or ask for their Secret Recovery Phrase, and that people doing so are scammers.

Your TxID can be inspected publicly.

Your private keys cannot safely be shared.

Be Careful With Fake Token Contracts

When recovering tokens in a self-custody wallet, you may need to make the wallet display a token manually.

That normally requires the correct contract address.

Do not search casually and copy a contract address from:

- Social-media replies
- Telegram
- Random websites
- Unverified search advertisements

Use an official project source or a reputable blockchain explorer and verify the network.

Adding the wrong token contract may confuse you, and interacting with malicious contracts can create additional risks.

How to Prevent Wrong-Network Transfers

The easiest recovery is avoiding the mistake in the first place.

Check the Receiving Network First

Start with the destination.

Ask:

Which networks does this wallet or exchange support for this asset?

Then choose the sender's network.

Do not do it in the opposite order.

Match the Network Names Exactly

For example:

Receiver: USDT — TRON (TRC-20)

Sender: USDT — TRON (TRC-20)

Or:

Receiver: USDT — Ethereum (ERC-20)

Sender: USDT — Ethereum (ERC-20)

Do not select another network simply because its withdrawal fee is cheaper.

Do Not Trust the Address Format Alone

This is particularly important with EVM networks.

An address beginning with:

0x...

may be syntactically valid across multiple EVM-compatible chains.

That does not tell you which network the recipient expects.

The network selection must still match.

Recheck the Network After Pasting the Address

Some platforms automatically suggest or preselect a network.

Do not assume the selection is correct.

Read it again before confirming.

Use a Test Transfer for Large Amounts

A small test transaction can reduce the consequences of a mistake.

But make sure:

- The exchange accepts the test amount
- The asset is supported
- The network is correct
- The address is correct

Once the test deposit arrives correctly, you can send the remaining amount using the same verified route.

Is Crypto Sent on the Wrong Network Permanently Lost?

Not always.

“Wrong network” describes where the blockchain transaction happened.

It does not automatically tell you whether the destination can be controlled.

For self-custody wallets, particularly across compatible EVM networks, the funds may still be accessible because you control the underlying account.

For centralized exchanges, however, recovery depends on the custodian.

The exchange may:

- Recover it automatically
- Offer a self-service recovery tool

- Recover it manually
- Charge a recovery fee
- Add support later
- Refuse or be technically unable to recover it

Therefore:

A confirmed wrong-network transaction can be inaccessible without being technically destroyed—but inaccessible funds are still effectively lost to the user unless someone controlling the destination can retrieve them.

Brokerate Assessment

The most important factor in wrong-network recovery is not the token price, transaction amount, or even the exchange from which the crypto was originally sent.

It is control of the destination address.

When you control the receiving private key, you have considerably more recovery options.

This is especially true for ERC-20/BEP-20 mistakes involving standard EVM-compatible self-custody accounts, where the assets may simply exist at the same account on another blockchain.

When an exchange controls the destination, the situation changes completely.

The blockchain may clearly show the funds sitting at an exchange-controlled address, but that does not give you access to the private key.

Recovery becomes an operational decision for the exchange and depends on its infrastructure, supported networks, and recovery policy.

TRC-20 transfers should also not be treated as interchangeable with ordinary Ethereum/BSC recovery.

TRON is a separate blockchain environment, and users should follow the recovery path appropriate to the network on which the transaction actually occurred.

The safest rule is therefore:

Find the network → identify who controls the destination → choose the recovery method.

Do not begin with a random recovery tool.

Final Verdict

Sending crypto on the wrong network does not always mean the funds are permanently lost.

For ERC-20 and BEP-20 mistakes involving a standard self-custody wallet, recovery is often possible because Ethereum and BNB Smart Chain use compatible EVM account structures.

The tokens may simply be sitting at your address on a different blockchain.

TRC-20 transfers require a TRON-compatible recovery path and should not be treated exactly like an Ethereum/BSC network switch.

When the destination is a centralized exchange, however, you cannot perform the same recovery yourself.

The exchange controls the wallet, so you must use its official recovery service or contact support—and recovery is never guaranteed.

When a network mistake happens, follow this order:

Confirm the actual network → identify the destination → determine who controls the keys → recover access → move the assets through a supported route

And before the next transfer, remember:

A matching token name is not enough. The sending and receiving networks must match too.